L   Number	Hits	Search Text	DB	Time stamp
1	63	XML and dtd and stylesheet and entity and class	USPAT; US-PGPUB; EPO; JPO;	2004/05/19 09:24
2	5	XML and dtd and stylesheet and entity and class and @ad<20000401	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/19 09:34
3	34	(email or e-mail or message) with (XSL or stylesheet) and (meta-data or metadata or meta\$data)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 09:37
4	14	(email or e-mail or message) with (XSL or stylesheet) and (meta-data or metadata or meta\$data) and activity and event	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 09:35
5 .	0	(email or e-mail or message) with (XSL or stylesheet) and (meta-data or metadata or meta\$data) and activity and event and @ad<20000401	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19
6	7	(XSL or stylesheet) with (metadata or meta-data or meta\$data) and "!entity"	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/19
7	21	(XSL or stylesheet) with (metadata or meta-data or meta\$data)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 10:23
8	69	\$stylesheet\$ and @ad<20000401	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/19
9	41	\$stylesheet\$ and @ad<20000401 and xml	DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 10:08
10	284	email and stylesheet	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/19
11	0	email and stylesheet and @pd<20000401	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/19 10:09
12	26	stylesheet and activity and event and sender	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/19 10:09
13	69	@ad<20000401 and \$stylesheet\$	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/05/19 11:03
14	3	@ad<20000401 and \$stylesheet\$ and sender\$ with name	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 11:27

15	24	@ad<20000401 and \$stylesheet\$ and email	USPAT; US-PGPUB;	2004/05/19 11:38
			EPO; JPO;	11.50
			DERWENT;	
16	0	@ad<20000401 and \$stylesheet\$ same email	IBM_TDB USPAT;	2004/05/19
1		ead\20000401 and \5cylesheec\ same email	US-PGPUB;	11:38
			EPO; JPO;	
			DERWENT;	
17	1	@ad<20000401 and (stylesheet or XSL) with	IBM_TDB USPAT;	2004/05/19
	_	(meta-data or meta\$data)	US-PGPUB;	13:20
			EPO; JPO;	
			DERWENT; IBM TDB	
18	5	sender with structure with data and	USPĀT;	2004/05/19
		sender with name and email and	US-PGPUB;	13:21
		@ad<20000401	EPO; JPO; DERWENT;	
			IBM_TDB	
23	18	sender with name same email same format	USPAT;	2004/05/19
			US-PGPUB; EPO; JPO;	13:54
			DERWENT;	
	1-		IBM_TDB	
24	45	@ad<20000401 and sender same email same format	USPAT; US-PGPUB;	2004/05/19 14:04
			EPO; JPO;	
			DERWENT;	
25	2	("6167409").PN.	IBM_TDB USPAT;	2004/05/19
		( 010/103 / 11111	US-PGPUB;	14:17
			EPO; JPO;	
			DERWENT; IBM TDB	
26	3	"6167409" and style same web\$	USPAT;	2004/05/19
			US-PGPUB;	14:27
			EPO; JPO; DERWENT;	
			IBM_TDB	
27	100	smtp and format same meta\$data	USPAT;	2004/05/19
			US-PGPUB; EPO; JPO;	14:28
			DERWENT;	
20	4.4	omen and format came materials and	IBM_TDB	2004/05/10
28	44	smtp and format same meta\$data and @ad<20000401	USPAT; US-PGPUB;	2004/05/19 14:30
			EPO; JPO;	
			DERWENT;	
29	8	smtp and (sender or informant or source)	IBM_TDB USPAT;	2004/05/19
		same meta\$data and @ad<20000401	US-PGPUB;	14:39
			EPO; JPO;	
			DERWENT; IBM TDB	
30	22	1	USPĀT;	2004/05/19
		(sender or source)	US-PGPUB;	14:40
			EPO; JPO; DERWENT;	
			IBM_TDB	
31	1		USPAT;	2004/05/19
		name same (sender or source)	US-PGPUB; EPO; JPO;	14:45
			DERWENT;	
32		//sondor with (matadata or matadata))	IBM_TDB	2004/05/10
32	555	((sender with (meta\$data or metadata)) or (sender near name)) with (message or	USPAT; US-PGPUB;	2004/05/19 14:46
		email or e-mail)	EPO; JPO;	
-			DERWENT;	
	I		IBM TDB	

33	524	((sender near name)) with (message or email or e-mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:46
34	221	((sender near name)) with (message or email or e-mail) and @ad<20000401	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:47
35	10	((sender near name)) with (message or email or e-mail) and @ad<20000401 and (meta-data or metadata or meta\$data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:48
36	166	((sender near name)) with (message or email or e-mail) and @ad<20000401 and (format or structure)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 14:48
37	29	((sender near name)) with (message or email or e-mail) and @ad<20000401 and (format or structure) and style	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 15:12
38	4	send with email with (meta-data or meta\$data or metadata)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 15:08
39	O :	send with email with (meta-data or meta\$data or metadata) and @ad<20000401	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 15:08
40	. 0	send same email same (meta-data or meta\$data or metadata) and @ad<20000401	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19 15:08
41	34	send same (email or e-mail or message) same (meta-data or meta\$data or metadata) and @ad<20000401	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/19
-	9189	server and (email or e-mail or electronic adj message) and (rout\$ or routing) and table	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/18
_	2422	server and (email or e-mail or electronic adj message) and (rout\$ or routing) and table and XML	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/18 10:27
_	972	server and (email or e-mail or electronic adj message) and (rout\$ or routing) and table and XML and entity and class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/18
_	166	server and (email or e-mail or electronic adj message) and (rout\$ or routing) and table and XML and entity and class and stylesheet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/18 11:46
_	8	server and (email or e-mail or electronic adj message) and (rout\$ or routing) with table and XML and entity and class and stylesheet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 10:29

			_	
_	30	server and (email or e-mail or electronic	USPAT;	2004/05/18
		adj message) with XML and (rout\$ or	US-PGPUB;	11:50
		routing) same table	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	182	· · - · · = · · · · · · · · · · · · · ·	USPAT;	2004/05/18
		adj message or message) with XML and	US-PGPUB;	11:50
		(rout\$ or routing) same table	EPO; JPO;	
			DERWENT;	
	5		IBM_TDB USPAT;	2004/05/18
-	3	server and (email or e-mail or electronic adj message or message) with XML and	US-PGPUB;	14:05
		(rout\$ or routing) same table and	EPO; JPO;	14.05
		(lode) of lodeling, same cable and   Gad<20000401	DERWENT;	
		644 (2000) 101	IBM TDB	
1 -	2	("6314434").PN.	USPAT;	2004/05/18
			US-PGPUB;	14:06
			EPO; JPO;	ł
			DERWENT;	
			IBM TDB	
-	3		USPĀT;	2004/05/18
		same class and (meta-data or metadata or	US-PGPUB;	14:10
		meta\$2data) and (stylesheet or	EPO; JPO;	
1		style-sheet or style\$sheet)	DERWENT;	
	_	485000058)	IBM_TDB	0004/05/50
-	2	("5899995").PN.	USPAT;	2004/05/18
			US-PGPUB;	14:10
			EPO; JPO;	
			DERWENT;	
	5758	nouting add table	IBM_TDB USPAT;	2004/05/18
-	3/30	routing adj table	US-PGPUB;	14:31
			EPO; JPO;	14.51
			DERWENT;	
	1		IBM TDB	
_	3100	routing adj table and @ad<20000401	USPĀT;	2004/05/18
			US-PGPUB;	14:32
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1835	routing adj table and @ad<20000401 and	USPAT;	2004/05/18
		message\$	US-PGPUB;	14:32
1	1	,	EPO; JPO;	
			DERWENT;	
1	0.51	mouthing add table 0 0 00000401 1	IBM_TDB	2004/05/10
-	861	routing adj table and @ad<20000401 and	USPAT; US-PGPUB;	2004/05/18 14:32
1		message\$ and server	EPO; JPO;	17.56
1			DERWENT;	
1			IBM TDB	
_	32	routing adj table and @ad<20000401 and	USPAT;	2004/05/18
1		message\$ and server and XML	US-PGPUB;	14:33
	}		EPO; JPO;	
1	1		DERWENT;	
1	1		IBM_TDB	
-	70	routing adj table and @ad<20000401 and	USPĀT;	2004/05/18
	1	message\$ and server and markup	US-PGPUB;	14:34
	1		EPO; JPO;	
1			DERWENT;	
			IBM_TDB	0004/07/10
-	86	routing adj table and @ad<20000401 and	USPAT;	2004/05/18
	1	message\$ and server and web near server	US-PGPUB;	14:42
1		and (phone or pager or pda)	EPO; JPO;	
1	1		DERWENT;	
1_	0	routing add table and Gad-20000401 and	<pre>IBM_TDB USPAT;</pre>	2004/05/18
-		routing adj table and @ad<20000401 and message\$ with XML and server	US-PGPUB;	14:43
	1	mossagey with and server	EPO; JPO;	
			DERWENT;	
			IBM TDB	
L				

		(vonting on ognes on lookup) and table	TICDAM.	2004/05/10
-	4	(routing or access or lookup) adj table	USPAT;	2004/05/18
	•	and @ad<20000401 and message\$ with XML	US-PGPUB;	14:48
		and server	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
i -	1696		USPAT;	2004/05/18
ĺ		and @ad<20000401 and message\$ with time	US-PGPUB;	14:49
	•		EPO; JPO;	ŀ
			DERWENT;	
			IBM_TDB	
-	7	email with attribute with time	USPAT;	2004/05/18
			US-PGPUB;	14:49
			EPO; JPO;	i i
			DERWENT;	l i
			IBM TDB	
-	6379	(e-mail or email or message) with rout\$	USPAT;	2004/05/18
		same (time or immediacy or urgen\$)	US-PGPUB;	14:52
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	804	(e-mail or email or message) with rout\$	USPAT;	2004/05/18
		same (time or immediacy or urgen\$) and	US-PGPUB;	14:52
		destination and rout\$ near table	EPO; JPO;	
			DERWENT;	
			IBM TDB	-